

[Match](#)

Issue 45, 2002, Pages 109-122

Document Type: Article

[View references](#) (18)

Hosoya polynomial in Tori

[Diudea, M.V.](#)

Faculty of Chemistry, Babes-Bolyai University, 3400 Cluj, Romania

Abstract

The Hosoya polynomial is defined as a distance-based increasing power sequence. Analytical formulas for calculating this polynomial in several classes of toroidal nets are given. The Wiener number, derived from the first derivative of the Hosoya polynomial (in $x = 1$), is calculable either by close formulas or by recursions.

References (18)

 Select: All

1. [Hosoya, H.](#)
On some counting polynomials in chemistry
 (1988) *Discrete Appl. Math.*, 19 pp. 239-257 [Cited 45 times](#)
2. [Gutman, I.](#), [Klavžar, S.](#), [Petkovšek, M.](#), [Žigert, P.](#)
On Hosoya polynomials of benzenoid graphs
 (2001) *Commun. Math. Chem. (MATCH)*, 43 pp. 49-66 [Cited 7 times](#)
3. [Stevanović, D.](#)
Hosoya polynomial of composite graphs
 (2001) *Discrete Math.*, 235 pp. 237-244 [Cited 4 times](#)
4. [Diudea, M.V.](#), [Graovac, A.](#)
Generation and graph-theoretical properties of C_4 -Tori
 (2001) *Commun. Math. Comput. Chem. (MATCH)*, 44 pp. 93-102 [Cited 12 times](#)
5. [Diudea, M.V.](#), [Silaghi-Dumitrescu, I.](#), [Parv, B.](#)
Toranes versus Torenes
 (2001) *Commun. Math. Comput. Chem. (MATCH)*, 44 pp. 117-133 [Cited 14 times](#)
6. [Diudea, M.V.](#), [John, P.E.](#)
Covering polyhedral Tori
 (2001) *Commun. Math. Comput. Chem. (MATCH)*, 44 pp. 103-116 [Cited 12 times](#)
7. [Diudea, M.V.](#), [Kirby, E.C.](#)
The energetic stability of Tori and single-wall tubes
 (2001) *Fullerene Sci. Technol.*, 9 pp. 445-465 [Cited 12 times](#)

Cited By

This article has been cited **5** times in Scopus:
 (Showing the 3 most recent)

. [John, P.E.](#), [Diudea, M.V.](#)
Wiener index of zig-zag polyhex nanotubes
 (2004) *Croatica Chemica Acta*

. [Diudea, M.V.](#), [Stefu, M.](#)
Wiener index of armchair polyhex nanotubes
 (2004) *Croatica Chemica Acta*

. [Diudea, M.V.](#), [Pârv, B.](#)
Distance counting in Tori
 (2003) *Match*


[View details of all 5 citations](#)

[Alert me](#) when this document is cited in Scopus

[Related Documents](#)
 (by reference)

[Abstract + Refs](#) [View at Publisher](#)

8. [Diudea, M.V., Silaghi-Dumitrescu, I., Pârv, B.](#)
Toroidal fullerenes from square tiled Tori
(2002) *Internet Electronic Journal of Molecular Design.*, 1 pp. 10-22 [Cited 7 times](#)
9. [Itoh, S., Ihara, S.](#)
Toroidal forms of graphitic carbon. II. Elongated tori
(1993) *Phys. Rev., B*, 48 pp. 8323-8328 [Cited 48 times](#)
[View at Publisher](#)
10. [Diudea, M.V.](#)
Layer matrices in molecular graphs
(1994) *J. Chem. Inf. Comput. Sci.*, 34 pp. 1064-1071 [Cited 22 times](#)
[Abstract + Refs](#) [View at Publisher](#)
11. [Diudea, M.V., Gutman, I., Jäntschi, L.](#)
(2001) *Molecular Topology*, [Cited 13 times](#)
Nova Science, Huntington, New York
12. [Konstantinova, E.V., Diudea, M.V.](#)
The Wiener polynomial derivatives and other topological indices in chemical research
(2000) *Croat. Chem. Acta*, 73 pp. 383-403 [Cited 12 times](#)
[Abstract + Refs](#)
13. [Wiener, H.](#)
Structural determination of paraffin boiling points
(1947) *J. Am. Chem. Soc.*, 69 pp. 17-20 [Cited 736 times](#)
[View at Publisher](#)
14. [Berris, B.C., Hovakeemian, G.H., Lai, Y.-H., Mestdagh, H., Vollhardt, K.P.C.](#)
A new approach to the construction of biphenylenes by the cobalt-catalyzed cocyclization of o-diethynylbenzenes with alkynes. Application to an iterative approach to [3]phenylene, the first member of a novel class of benzocyclobutadienoid hydrocarbons
(1985) *J. Am. Chem. Soc.*, 107 pp. 5670-5687 [Cited 56 times](#)
[View at Publisher](#)
15. [Gutman, I.](#)
Easy method for the calculation of the algebraic structure count of phenylenes
(1993) *J. Chem. Soc. Faraday Trans.*, 89 pp. 2413-2416 [Cited 26 times](#)
[View at Publisher](#)
16. [Gutman, I., Klavžar, S.](#)
A method for calculating Wiener numbers of benzenoid hydrocarbons and phenylenes
(1996) *ACH Models Chem.*, 133 pp. 389-399 [Cited 26 times](#)
17. [Diudea, M.V.](#)
Phenylenic and naphthylenic Tori
Fullerene Sci. Technol.,
submitted
18. [Gao, Y.D., Herndon, W.C.](#)
Fullerenes with four-membered rings
(1993) *J. Amer. Chem. Soc.*, 115 pp. 8459-8460 [Cited 40 times](#)
[Abstract + Refs](#) [View at Publisher](#)

 Diudea, M.V.; Faculty of Chemistry, Babes-Bolyai University, 3400 Cluj, Romania;
© Copyright 2004 Elsevier Science B.V., Amsterdam. All rights reserved.

Match

Issue 45, 2002, Pages 109-122

[results list](#) [previous](#) 11 of 32 [next](#)

[Search](#) [Sources](#) [My Alerts](#) [My List](#) [My Profile](#)

 [Help](#)  [Scopus Labs](#)

[About Scopus](#) | [Feedback](#) | [Terms & Conditions](#) | [Privacy Policy](#)

Copyright © 2006 [Elsevier B.V.](#) All rights reserved. Scopus™ is a registered trademark of Elsevier B.V.

<http://www.scopus.com/scopus/record/display.url?view=basic&origin=recordpage&eid=2-s1.0-49GC-HJ40-TWC1-C...> 3/5/2006

